



RECEIVED  
MAY 28 2002  
TECH CENTER 1600/2900

```
<210> 1
<211> 129
<212> DNA
<213> Artificial Sequence
```

```
<220>  
<221> misc_feature  
<223> Engineered Sequence
```

```

<400> 1
taatcttacc ccggaattat atccagctgc atgtcaccat gcagagcaga ctatatctcc 60
aacttggttaa agcaagttgt ctatcgtttc gagtcacttg accctactcc ccaaagggat 120
agtcgttag                                         129

```

```
<210> 2
<211> 131
<212> DNA
<213> Artificial Sequence
```

```
<220>
<221> misc_feature
<223> Engineered Sequence
```

```
<400>      2
gcctgagtat aaggtgactt atacttgtaa tctatctaaa cggggaacct ctctagtaga      60
caatcccggtg ctaaattata ccagcatcgt cttgatgccc ttggcagata aatgcctaac      120
gactatccct t                                     131
```

$\langle 210 \rangle$	3
$\langle 211 \rangle$	75

<212> DNA  
<213> Artificial Sequence

<220>  
<221> misc\_feature  
<223> Engineered Sequence

<400> 3  
gataatacga ctcaactatag ggatcaacgc tcagtagatg ttttcttggg ttaattgagg 60  
cctgagtata aggtg 75

<210> 4  
<211> 89  
<212> DNA  
<213> Artificial Sequence

<220>  
<221> misc\_feature  
<223> Engineered Sequence

*Bl cont*  
<400> 4  
cttagctaca atatgaacta acgtagcata tgacgcaata ttaaacggta gcattatggt 60  
cagataaggt cgttaatctt accccggaa 89

<210> 5  
<211> 131  
<212> DNA  
<213> Artificial Sequence

<220>  
<221> N  
<222> (77)..(77)  
<223> N= A, C, T or G

<220>  
<221> N  
<222> (77)..(77)  
<223> Engineered Aptazyme: N= A, C, T or G

<220>  
<221> misc\_feature  
<222> (77)..(77)  
<223> N= A, C, T or G

<220>  
<221> misc\_feature  
<222> (108)..(108)  
<223> N= A, C, T or G

<400> 5  
gcctgagtat aaggtgactt atactagtaa tctatctaaa cggggaacct ctctagtaga 60

caatcccgtg ctaaatnata ccagcatcgt cttgatgcc ttggcagnta aatgcctaac 120

gactatccct t 131

<210> 6

<211> 101

<212> DNA

<213> Artificial Sequence

<220>

<221> misc\_feature

<223> Engineered Sequence

<400> 6

cttagctaca atatgaacta acgtagcata tgacgcaata ttaaacggta gtattatggt 60

cagataaggt cgttaatctt accccggaat tctatccagc t 101

---